



LEO'S®



24/25

LEO'S LIGHTING
HOME PRODUCT CATALOGUE
2024-2025

LEO's LIGHTING

LEO's Lighting & Electric CO., LTD was founded in 2000, and has more than 23 years experience of product developing and manufacturing in the field of lighting.



LEO's Lighting is a leading company with advantage in product technology and design, the product mainly focuses on indoor and outdoor home lights, and the products have excellent quality and high-cost performance. Meanwhile the products have been sold throughout Europe, Middle East, Southeast Asia, Australia, and other dozens of countries.






WALL ROTATION LAMP

ABOUT US

LEO'S Lighting has its own R&D team,
and all products are independently developed and designed.
We are passionate about lighting innovation. We recently launched
new striped lamps which quickly became a trend in the market.
We insist on developing new products every year to maintain a competitive
advantage in the market.






QUALITY ASSURANCE

IN THE MANUFACTURING PROCESS

We persist in independent design and development, each workpiece is designed by our professional design team, then the whole light fixture is developed by our R&D department. To avoid or reduce the process of CNC machining in the later stage and ensure the quality consistency of each batch of products, we have chosen the way of production by mold, even with higher initial investment, all workpieces are mass-produced using molds. Meanwell, the molds required for producing lighting fixtures are all independently designed and developed by our company to ensure controllable quality and reduce overall production costs while reducing errors.





Computer Aided Design (CAD)



Die-cast aluminum mould



Hardware mould



Hardware mould



QUALITY ASSURANCE

IN THE MANUFACTURING PROCESS

Quality assurance in appearance: We have our own powder coating line, the process of painting for all workpiece is finished in our factory. We use BASF chemical cleaning for pre-treatment, and use DuPont (Acquired by Axalta) outdoor powder for painting on surface. Therefore, we can provide 5-year warranty service on appearance.

QUALITY ASSURANCE

IN THE MANUFACTURING PROCESS



In the hardware workshop, painting workshop and assembly workshops, we have quality management specialists to control the quality before, during, and after production.

Before production:

For each model in each order, we will arrange to make first piece in each workshop, the quality controller during production will inspect the first piece according to the established inspection standards and issue an inspection report. After confirming that the first piece is OK, employees can start mass production of this workpiece.




During production:

Quality control will conduct regular inspections during production and issue inspection reports. For outdoor lamps, we make IP testing for both semi-finished products and finished products to ensure the waterproofing function of the assembled lighting fixtures.

After production:

When the production in each workshop is finished, quality management specialists will make inspection to make sure the quality of semi-products. For the quality control of finished products, when the products are finished in assembly workshop, quality management specialists will make inspection according to the established inspection standards and issue an inspection report, to ensure the quality of finished products. For the quality assurance system, we provide 3 years warranty for the whole fitting.





To make the last quality control before delivery and achieve the goal of zero complaints after shipment, we will make final inspection for the finished products before delivery.

- 1) We welcome customers to inspect the goods at the factory and form an inspection report, we can only arrange for shipment after get customer's approval.
- 2) If the customer does not have a dedicated person to inspect the goods at the factory, our company will entrust a third-party inspection personnel to make inspection and provide the professional inspection report and pictures to the customer, we can only arrange for shipment after get customer's approval.



Quality inspection of finished products before delivery



Waterproof inspection of finished products before delivery

Lighting Store Product Quality Control Checklist									
Factory Name: LIGHTING STORE ELECTRIC CO., LTD. Factory Address: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1009, 1010, 1011, 1012, 1013, 1014, 1015, 1016, 1017, 1018, 1019, 1020, 1021, 1022, 1023, 1024, 1025, 1026, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1038, 1039, 1040, 1041, 1042, 1043, 1044, 1045, 1046, 1047, 1048, 1049, 1050, 1051, 1052, 1053, 1054, 1055, 1056, 1057, 1058, 1059, 1060, 1061, 1062, 1063, 1064, 1065, 1066, 1067, 1068, 1069, 1070, 1071, 1072, 1073, 1074, 1075, 1076, 1077, 1078, 1079, 1080, 1081, 1082, 1083, 1084, 1085, 1086, 1087, 1088, 1089, 1090, 1091, 1092, 1093, 1094, 1095, 1096, 1097, 1098, 1099, 1100, 1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109, 1110, 1111, 1112, 1113, 1114, 1115, 1116, 1117, 1118, 1119, 1120, 1121, 1122, 1123, 1124, 1125, 1126, 1127, 1128, 1129, 1130, 1131, 1132, 1133, 1134, 1135, 1136, 1137, 1138, 1139, 1140, 1141, 1142, 1143, 1144, 1145, 1146, 1147, 1148, 1149, 1150, 1151, 1152, 1153, 1154, 1155, 1156, 1157, 1158, 1159, 1160, 1161, 1162, 1163, 1164, 1165, 1166, 1167, 1168, 1169, 1170, 1171, 1172, 1173, 1174, 1175, 1176, 1177, 1178, 1179, 1180, 1181, 1182, 1183, 1184, 1185, 1186, 1187, 1188, 1189, 1190, 1191, 1192, 1193, 1194, 1195, 1196, 1197, 1198, 1199, 1200, 1201, 1202, 1203, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212, 1213, 1214, 1215, 1216, 1217, 1218, 1219, 1220, 1221, 1222, 1223, 1224, 1225, 1226, 1227, 1228, 1229, 1230, 1231, 1232, 1233, 1234, 1235, 1236, 1237, 1238, 1239, 1240, 1241, 1242, 1243, 1244, 1245, 1246, 1247, 1248, 1249, 1250, 1251, 1252, 1253, 1254, 1255, 1256, 1257, 1258, 1259, 1260, 1261, 1262, 1263, 1264, 1265, 1266, 1267, 1268, 1269, 1270, 1271, 1272, 1273, 1274, 1275, 1276, 1277, 1278, 1279, 1280, 1281, 1282, 1283, 1284, 1285, 1286, 1287, 1288, 1289, 1290, 1291, 1292, 1293, 1294, 1295, 1296, 1297, 1298, 1299, 1300, 1301, 1302, 1303, 1304, 1305, 1306, 1307, 1308, 1309, 1310, 1311, 1312, 1313, 1314, 1315, 1316, 1317, 1318, 1319, 1320, 1321, 1322, 1323, 1324, 1325, 1326, 1327, 1328, 1329, 1330, 1331, 1332, 1333, 1334, 1335, 1336, 1337, 1338, 1339, 1340, 1341, 1342, 1343, 1344, 1345, 1346, 1347, 1348, 1349, 1350, 1351, 1352, 1353, 1354, 1355, 1356, 1357, 1358, 1359, 1360, 1361, 1362, 1363, 1364, 1365, 1366, 1367, 1368, 1369, 1370, 1371, 1372, 1373, 1374, 1375, 1376, 1377, 1378, 1379, 1380, 1381, 1382, 1383, 1384, 1385, 1386, 1387, 1388, 1389, 1390, 1391, 1392, 1393, 1394, 1395, 1396, 1397, 1398, 1399, 1400, 1401, 1402, 1403, 1404, 1405, 1406, 1407, 1408, 1409, 1410, 1411, 1412, 1413, 1414, 1415, 1416, 1417, 1418, 1419, 1420, 1421, 1422, 1423, 1424, 1425, 1426, 1427, 1428, 1429, 1430, 1431, 1432, 1433, 1434, 1435, 1436, 1437, 1438, 1439, 1440, 1441, 1442, 1443, 1444, 1445, 1446, 1447, 1448, 1449, 1450, 1451, 1452, 1453, 1454, 1455, 1456, 1457, 1458, 1459, 1460, 1461, 1462, 1463, 1464, 1465, 1466, 1467, 1468, 1469, 1470, 1471, 1472, 1473, 1474, 1475, 1476, 1477, 1478, 1479, 1480, 1481, 1482, 1483, 1484, 1485, 1486, 1487, 1488, 1489, 1490, 1491, 1492, 1493, 1494, 1495, 1496, 1497, 1498, 1499, 1500, 1501, 1502, 1503, 1504, 1505, 1506, 1507, 1508, 1509, 1510, 1511, 1512, 1513, 1514, 1515, 1516, 1517, 1518, 1519, 1520, 1521, 1522, 1523, 1524, 1525, 1526, 1527, 1528, 1529, 1530, 1531, 1532, 1533, 1534, 1535, 1536, 1537, 1538, 1539, 1540, 1541, 1542, 1543, 1544, 1545, 1546, 1547, 1548, 1549, 1550, 1551, 1552, 1553, 1554, 1555, 1556, 1557, 1558, 1559, 1560, 1561, 1562, 1563, 1564, 1565, 1566, 1567, 1568, 1569, 1570, 1571, 1572, 1573, 1574, 1575, 1576, 1577, 1578, 1579, 1580, 1581, 1582, 1583, 1584, 1585, 1586, 1587, 1588, 1589, 1590, 1591, 1592, 1593, 1594, 1595, 1596, 1597, 1598, 1599, 1600, 1601, 1602, 1603, 1604, 1605, 1606, 1607, 1608, 1609, 1610, 1611, 1612, 1613, 1614, 1615, 1616, 1617, 1618, 1619, 1620, 1621, 1622, 1623, 1624, 1625, 1626, 1627, 1628, 1629, 1630, 1631, 1632, 1633, 1634, 1635, 1636, 1637, 1638, 1639, 1640, 1641, 1642, 1643, 1644, 1645, 1646, 1647, 1648, 1649, 1650, 1651, 1652, 1653, 1654, 1655, 1656, 1657, 1658, 1659, 1660, 1661, 1662, 1663, 1664, 1665, 1666, 1667, 1668, 1669, 1670, 1671, 1672, 1673, 1674, 1675, 1676, 1677, 1678, 1679, 1680, 1681, 1682, 1683, 1684, 1685, 1686, 1687, 1688, 1689, 1690, 1691, 1692, 1693, 1694, 1695, 1696, 1697, 1698, 1699, 1700, 1701, 1702, 1703, 1704, 1705, 1706, 1707, 1708, 1709, 1710, 1711, 1712, 1713, 1714, 1715, 1716, 1717, 1718, 1719, 1720, 1721, 1722, 1723, 1724, 1725, 1726, 1727, 1728, 1729, 1730, 1731, 1732, 1733, 1734, 1735, 1736, 1737, 1738, 1739, 1740, 1741, 1742, 1743, 1744, 1745, 1746, 1747, 1748, 1749, 1750, 1751, 1752, 1753, 1754, 1755, 1756, 1757, 1758, 1759, 1760, 1761, 1762, 1763, 1764, 1765, 1766, 1767, 1768, 1769, 1770, 1771, 1772, 1773, 1774, 1775, 1776, 1777, 1778, 1779, 1780, 1781, 1782, 1783, 1784, 1785, 1786, 1787, 1788, 1789, 1790, 1791, 1792, 1793, 1794, 1795, 1796, 1797, 1798, 1799, 1800, 1801, 1802, 1803, 1804, 1805, 1806, 1807, 1808, 1809, 1810, 1811, 1812, 1813, 1814, 1815, 1816, 1817, 1818, 1819, 1820, 1821, 1822, 1823, 1824, 1825, 1826, 1827, 1828, 1829, 1830, 1831, 1832, 1833, 1834, 1835, 1836, 1837, 1838, 1839, 1840, 1841, 1842, 1843, 1844, 1845, 1846, 1847, 1848, 1849, 1850, 1851, 1852, 1853, 1854, 1855, 1856, 1857, 1858, 1859, 1860, 1861, 1862, 1863, 1864, 1865, 1866, 1867, 1868, 1869, 1870, 1871, 1872, 1873, 1874, 1875, 1876, 1877, 1878, 1879, 1880, 1881, 1882, 1883, 1884, 1885, 1886, 1887, 1888, 1889, 1890, 1891, 1892, 1893, 1894, 1895, 1896, 1897, 1898, 1899, 1900, 1901, 1902, 1903, 1904, 1905, 1906, 1907, 1908, 1909, 1910, 1911, 1912, 1913, 1914, 1915, 1916, 1917, 1918, 1919, 1920, 1921, 1922, 1923, 1924, 1925, 1926, 1927, 1928, 1929, 1930, 1931, 1932, 1933, 1934, 1935, 1936, 1937, 1938, 1939, 1940, 1941, 1942, 1943, 1944, 1945, 1946, 1947, 1948, 1949, 1950, 1951, 1952, 1953, 1954, 1955, 1956, 1957, 1958, 1959, 1960, 1961, 1962, 1963, 1964, 1965, 1966, 1967, 1968, 1969, 1970, 1971, 1972, 1973, 1974, 1975, 1976, 1977, 1978, 1979, 1980, 1981, 1982, 1983, 1984, 1985, 1986, 1987, 1988, 1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136,									





INDEX

WALL LIGHT

Round wall lights	08
Wall lights with switch	22
Square wall lights	28

RECESSED LIGHT

Mini GU10 recessed down lights	46
Bathroom recessed down lights	52
Anti-Glare recessed down lights	64
Square recessed down lights	78
Single ring recessed down lights	84
Double ring recessed down lights	90
Global lamp recessed down lights	96

TRACK LIGHT

Round track lights	104
Square track lights	122

PENDANT LIGHT

Round pendant lights	134
Square pendant lights	142

SURFACE LIGHT

Round fixed surface lights	152
Round adjustable surface lights	160
Square fixed surface lights	180
Square adjustable surface lights	192
Anti-Glare surface lights	204

EXTERIOR

IP65 outdoor surface lights	213
IP65 Modern outdoor wall lights	217
IP65 Traditional outdoor wall lights	227
IP65 Special outdoor wall lights	237
IP65 outdoor flood lights & Bollards	247
IP65 Recessed down lights	259

INTERIOR



G5021
P.10



G5022
P.10



G5262
P.10

NEW



G5322/G5362/G5272
P.12/14

NEW



G5062
P.16



G5052
P.18



G5082
P.20



C6801/C7271/G5291
P.24

NEW



G5281/G5351
P.26

NEW



G5301/G5302
P.32

NEW



G5071/G5072
P.34



G5122
P.36



G5321/G5331
P.38

NEW



C6921
P.40



A1821/A1822
P.48



A1811/A1812
/A1813/A1814
P.50



A1521/A1001
P.56



A2441/A2521
P.58

NEW



A2531/A0491
P.60

NEW



A2431
P.62

NEW



A2401/A2501
P.68

NEW



A2171/A2241
P.70

NEW



A2371/A2321
P.72

NEW



A0571/A0581
P.74



A1041/A1051
P.76



A2331
P.80

NEW



A2131/A0481
P.82



A1381
P.86



A1382
P.86



A1391
P.86



A1392
P.86



A0621
P.88



A0622
P.88



A0623
P.88



A1341
P.92



A1342
P.92



A1343
P.92



A2071/A1461
P.94



A1462
P.94



A1463
P.94



A1361/A2361
P.98

NEW



D8591/D8601
P.108



D8111/D8421
P.110



D8331
P.112



D8221/D8441
P.114



D8081/D8431
P.116



D8711/D8721
P.118



D8661/D8671
P.120



D8161/D8471
P.124



D8741/D8751
P.126



D8681/D8691
P.128



C7451/C7521
P.136




C6951/C7231
P.138



C7322
P.140



C7391/C7331
P.144/146







EXTERIOR



! Onerous Environments


Pls contact our technical Dept. prior to install our products under harsh conditions, for examples: swimming, seaside, high salt environments.







WALL LIGHT











ROUND WALL LIGHT

Extruded aluminum material.
Electrostatic sand powder coating.
No external screws.
Easy installation(to change the bulb).



G5021



G5022



G5272/G5262

NEW



G5322/G5362

NEW



G5062




G5052



G5082




NEW



G5021

 **GU10**




QPAR16
LED-PAR16


1x 50W max
1x 7W max



G5022



G5262



 **GU10**



QPAR16
LED-PAR16

2x 50W max
2x 7W max



OPTIONAL

FINISH OPTIONAL ● :Standard


Finish body ● ☐ WH ☒ BK ☐ GD
Finish inside ● ☒ BK ☐ GD




NEW



G5322



G5362



GU10

QPAR16
LED-PAR16



2x 50W max
2x 7W max



OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ●  WH ●  BK ●  GD
Finish inside ●  BK ●  GD




NEW



G5272

 **GU10**



LED-PAR11

2x 5W max



IP44



GU10-PAR11 Ø35





OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ● ☐ WH ☒ BK






G5062

 G9



107.5



140

Ø91.5

LED-QT14

1x 3.8W max




OPTIONAL

FINISH OPTIONAL ● :Standard


Finish body ●  WH  BK





G5052

83



 GU10



QPAR16
LED-PAR16

2x 50W max
2x 7W max



OPTIONAL

FINISH OPTIONAL ● :Standard


Finish body ●  WH ●  BK





G5082

 **GU10**



QPAR16

2x 50W max

LED-PAR16

2x 7W max

 **G9**



LED-QT14

1x 3.8W max



OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ●  WH ●  BK



WALL LIGHT with switch

Extruded aluminum material.
Electrostatic sand powder coating.
No external screws.
Easy installation(to change the bulb).



C6801/C7271



G5291



G5281



G5351






G5291

 GU10



LED-PAR11

1x 5W max



C6801

C7271

 GU10





QPAR16

1x 50W max

LED-PAR16

1x 7W max




OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ●  WH ●  BK

Finish inside ●  BK






G5281

 **GU10**

LED-PAR11

1x 5W max



G5351

 **GU10**

QPAR16
LED-PAR16

1x 50W max
1x 7W max



OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ●  WH ●  BK

Finish inside ●  BK





SQUARE WALL LIGHT

Extruded aluminum material.
Electrostatic sand powder coating.
No external screws.
Easy installation(to change the bulb).



G5301/G5302



G5071



G5072




G5122




G5321/G5331



C6921








NEW




NEW



G5301

 **GU10**




QPAR16
LED-PAR16

1x 50W max
1x 7W max



G5302

 **GU10**



QPAR16
LED-PAR16

2x 50W max
2x 7W max




OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ●  WH  BK


Finish inside ●  BK





G5071

 GU10




QPAR16
LED-PAR16

1x 50W max
1x 7W max




G5072

 GU10



QPAR16
LED-PAR16

2x 50W max
2x 7W max




OPTIONAL

FINISH OPTIONAL ● :Standard


Finish body ●  WH  BK





G5122

 GU10



QPAR16
LED-PAR16

2x 50W max
2x 7W max




OPTIONAL

FINISH OPTIONAL ● :Standard


Finish body ● ☐ WH ☒ BK





G5321

 G9




LED-QT14

2x 4.8W max



G5331

 T8



PHILIPS LEDtube

8W



OPTIONAL

FINISH OPTIONAL ● :Standard


Finish body ● ☐ WH ☒ BK






C6921

 **GU10**



QPAR16
LED-PAR16

2x 50W max
2x 7W max



OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ● ☐ WH ☒ BK



RECESSED LIGHT



A1821/A1822



A1811/A1812
/A1813/A1814



A1521/A1001



A2441/A2521



A2531/A0491



A2431



A2401/A2501



A2171/A2241



A2371/A2321



A0571/A0581



A1041/A1051



A2331



A2131/A0481



A1381



A1382



A1391



A1392



A0621



A0622



A0623



A1341



A1342



A1343



A2071/A1461




A1462




A1463



A1361/A2361







MINI GU10 RECESSED DOWN LIGHTS

Recessed light source.
Die-cast aluminum housing.
Anti glare design.
Easy installation(to change the bulb).



A1821/A1822



A1811/A1812/
A1813/A1814





A1821



Ø55mm

 **GU10**

LED-PAR11



1x 5W max


 **G4**

LED-MR11



1x 5W max

A1822



103x55mm

 **GU10**

LED-PAR11




2x 5W max

 **G4**

LED-MR11



2x 5W max




OPTIONAL

FINISH OPTIONAL ● :Standard


Finish body ● ☐ WH ☒ BK

Finish inside ● ☒ BK ☐ WH







A1811




A1812



A1813



A1814



GU10



LED-PAR11

1/2/3/4x 5W max

G4



LED-MR11

1/2/3/4x 5W max



OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ●  WH  BK
Finish inside ●  BK  WH



BATHROOM RECESSED DOWN LIGHTS

Recessed light source.
With pre-installation bracket.
Die-cast aluminum housing.
Tempered glass thinckness 3mm.



A1521/A1001



A2441/A2521



A2531/A0491





A2431



BATHROOM

RECESSED DOWN LIGHT









IP55



IP55

A1521



GU10

QPAR16	1x 50W max
LED-PAR16	1x 7W max



GU5.3

QR-CBC	1x 50W max
LED-MR16	1x 7W max



A1001



GU10

QPAR16	1x 50W max
LED-PAR16	1x 7W max



GU5.3

QR-CBC	1x 50W max
LED-MR16	1x 7W max




OPTIONAL

FINISH OPTIONAL

Finish body •  WH •  BK

 Frosted glass
Wide beam angle

 Clear glass






IP44



IP44

A2441




	GU10	
QPAR16	1x 50W max	
LED-PAR16	1x 7W max	
	GU5.3	
QR-CBC	1x 50W max	
LED-MR16	1x 7W max	

A2521



	GU10	
QPAR16	1x 50W max	
LED-PAR16	1x 7W max	
	GU5.3	
QR-CBC	1x 50W max	
LED-MR16	1x 7W max	



OPTIONAL

FINISH OPTIONAL ● :Standard
 Finish body ●  WH  BK
 Finish inside(A2441) ●  WH  BK

 Clear glass


 Frosted glass
Wide beam angle







A2531



GU10





QPAR16 1x 50W max
LED-PAR16 1x 7W max

GU5.3



QR-CBC 1x 50W max
LED-MR16 1x 7W max

A0491



GU10



QPAR16 1x 50W max
LED-PAR16 1x 7W max

GU5.3



QR-CBC 1x 50W max
LED-MR16 1x 7W max



OPTIONAL

FINISH OPTIONAL :Standard


Finish body  WH  BK

 Frosted glass Wide beam angle  Clear glass





A2431



Ø135




Ø124mm

 **E27**



A60

1x 10.5W max



OPTIONAL

FINISH OPTIONAL • :Standard

Finish body •  WH  BK

 Frosted glass
Wide beam angle

 Clear glass





ANTI-GLARE RECESSED DOWN LIGHTS

Recessed light source.
With pre-installation bracket.
Die-cast aluminum housing.
Anti glare design.
Easy installation(to change the bulb).



A2401/A2501



A2171/A2241



A2371/A2321



A0571/A0581




A1041/A1051



ANTI-GLARE

RECESSED DOWN LIGHT
















A2401

		GU10	
		QPAR16	1x 50W max
		LED-PAR16	1x 7W max
		GU5.3	
		QR-CBC	1x 50W max
		LED-MR16	1x 7W max
			




A2501

		GU10	
		QPAR16	1x 50W max
		LED-PAR16	1x 7W max
		GU5.3	
		QR-CBC	1x 50W max
		LED-MR16	1x 7W max
			




OPTIONAL

FINISH OPTIONAL	● :Standard
Finish body	●  WH ●  BK
Finish inside	●  BK ●  GD



NEW

A2241



GU10




QPAR16	1x 50W max
LED-PAR16	1x 7W max

GU5.3



QR-CBC	1x 50W max
LED-MR16	1x 7W max

A2171



GU10



QPAR16	1x 50W max
LED-PAR16	1x 7W max

GU5.3



QR-CBC	1x 50W max
LED-MR16	1x 7W max



A2241



A2171

OPTIONAL

FINISH OPTIONAL


● :Standard

Finish body ● ☐ WH ☒ BK


Finish inside ● ☐ WH ☒ BK ☐ GY(metal)
only for A2171







A2371



Ø86
10°
360°



GU10



QPAR16 1x 50W max
LED-PAR16 1x 7W max


GU5.3



QR-CBC 1x 50W max
LED-MR16 1x 7W max

98(GU10)
78(GU5.3)

A2321



Ø80



GU10



QPAR16 1x 50W max
LED-PAR16 1x 7W max

GU5.3



QR-CBC 1x 50W max
LED-MR16 1x 7W max

88(GU10)
69(GU5.3)





OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ●  WH  BK





**A0571****A0581****OPTIONAL****FINISH OPTIONAL** ● :StandardFinish body ●  WH  BK





A1041



GU10




QPAR16	1x 50W max
LED-PAR16	1x 7W max

GU5.3



QR-CBC	1x 50W max
LED-MR16	1x 7W max

A1051



GU10



QPAR16	1x 50W max
LED-PAR16	1x 7W max

GU5.3



QR-CBC	1x 50W max
LED-MR16	1x 7W max

OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ●  WH  BK



SQUARE RECESSED DOWN LIGHTS


Recessed light source.
With pre-installation bracket.
Die-cast aluminum housing.




A2331

A2131/A0481





A2331



GU10




QPAR16	1x 50W max
LED-PAR16	1x 7W max

GU5.3



QR-CBC	1x 50W max
LED-MR16	1x 7W max





OPTIONAL


FINISH OPTIONAL :Standard

Finish body  WH  BK






A0481



GU10

QPAR16 1x 50W max
LED-PAR16 1x 7W max




GU5.3

QR-CBC 1x 50W max
LED-MR16 1x 7W max




A2131



GU10

QPAR16 1x 50W max
LED-PAR16 1x 7W max



GU5.3

QR-CBC 1x 50W max
LED-MR16 1x 7W max



OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ●  WH  BK



SINGLE RING RECESSED DOWN LIGHTS

Recessed light source.
With pre-installation bracket.
Die-cast aluminum housing.
Anti glare design.
Easy installation(to change the bulb).



A1381



A1382



A1391



A1392



A0621








A0622



A0623



**A1381****A1382****A1391****A1392** **GU10**

QPAR16	1/2x 50W max
LED-PAR16	1/2x 7W max

 GU5.3


QR-CBC	1/2x 50W max
LED-MR16	1/2x 7W max

OPTIONAL



FINISH OPTIONAL ● :Standard

Finish body	●  WH	●  BK
Finish inside	●  BK	





**A0621**


110x110mm

**A0622**

215x110mm

**A0623**

315x110mm


 GU10


QPAR16	1/2/3x 50W max
LED-PAR16	1/2/3x 7W max

 GU5.3


QR-CBC	1/2/3x 50W max
LED-MR16	1/2/3x 7W max

OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ● ☐ WH ☒ BK

Finish inside ● ☒ BK



DOUBLE RINGS RECESSED DOWN LIGHTS

Recessed light source.
Die-cast aluminum housing.
Anti glare design.
Easy installation(to change the bulb).



A1341



A1342



A1343



A2071



A1461



A1462




A1463







A1341



A1342



A1343



GU10




QPAR16	1/2/3x 50W max
LED-PAR16	1/2/3x 7W max

GU5.3



QR-CBC	1/2/3x 50W max
LED-MR16	1/2/3x 7W max




ACCESSORY




OPTIONAL

FINISH OPTIONAL	• :Standard
Finish body	•  WH  BK
Finish inside	•  BK







A2071




A1461



A1462



A1463




GU10

QPAR16	1/2/3x 50W max
LED-PAR16	1/2/3x 7W max

GU5.3

QR-CBC	1/2/3x 50W max
LED-MR16	1/2/3x 7W max



ACCESSORY



OPTIONAL

FINISH OPTIONAL	● :Standard
Finish body	● WH ● BK
Finish inside	● BK



GLOBAL LAMP RECESSED DOWN LIGHTS

Recessed light source.
Easy installation(to change the bulb).




A1361/A2361





A2361




 **E27**

A60

1x 10,5W max



A1361



 **E27**

A60

1x 10,5W max



OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ●  WH ●  BK



TRACK LIGHT



D8591/D8601



D8111/D8421



D8331



D8441/D8211



D8431/D8081



D8711/D8721/
D8661/D8671



D8161/D8471



D8741/D8751



D8681/D8691



TRACK

SPOT LIGHT





Extruded aluminum material.
Electrostatic sand powder coating.
No external screws.
Four different colour options.
Anti glare design.
Easy installation(to change the bulb).







ROUND TRACK LIGHTS

Extruded aluminum material.
Electrostatic sand powder coating.
No external screws.
Four different colour options.
Anti glare design.
Easy installation(to change the bulb).



D8591/D8601



D8111/D8421



D8331



D8441/D8211



D8431/D8081



D8711/D8721/
D8661/D8671







OPTIONAL

GU10 ADAPTER



Adapter of 1-phase (2 wires)



Adapter of 1-phase (3 wires)




Adapter of 3-phase (4 wires)

FINISH OPTIONAL

● :Standard

Finish body ● ☐ WH ☒ BK

Finish inside ● ☒ BK ☐ WH






D8591

 GU10



LED-PAR11

1x 5W max





D8601

 GU10



LED-PAR11

1x 5W max



OPTIONAL

FINISH OPTIONAL  :Standard

Finish body  WH  BK

Finish inside  BK  WH



OPTIONAL

ADAPTER



Adapter of 1-phase (2 wires)




Adapter of 1-phase (3 wires)



Adapter of 3-phase (4 wires)

LIGHTING FILTER



ACCESSORY



Honeycomb



Honeycomb




D8111

 GU10



QPAR16
LED-PAR16

1x 50W max
1x 7W max





D8421

 GU10



QPAR16
LED-PAR16

1x 50W max
1x 7W max



OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ●  WH ●  BK ●  GD
Finish inside ●  BK ●  GD



OPTIONAL

ADAPTER



Adapter of 1-phase (2 wires)



Adapter of 1-phase (3 wires)



Adapter of 3-phase (4 wires)



**D8331** **E27**

LED-PAR30

1x 9W

LED-PAR30

1x 32/40W

**OPTIONAL****FINISH OPTIONAL** ● :StandardFinish body ●  WH  BKFinish inside ●  BK



OPTIONAL

ADAPTER



Adapter of 1-phase (2 wires)




Adapter of 1-phase (3 wires)



Adapter of 3-phase (4 wires)

LIGHTING FILTER



ACCESSORY



Honeycomb




Honeycomb



D8211

 GU10




QPAR16
LED-PAR16

1x 50W max
1x 7W max

D8441

 GU10



QPAR16
LED-PAR16

1x 50W max
1x 7W max



OPTIONAL

FINISH OPTIONAL  :Standard

Finish body  WH  BK

Finish inside  BK



OPTIONAL

ADAPTER



Adapter of 1-phase (2 wires)



Adapter of 1-phase (3 wires)



Adapter of 3-phase (4 wires)

LIGHTING FILTER

Red



Yellow



Blue



Green




ACCESSORY



Honeycomb



Honeycomb




D8081

 **GU10**



QPAR16
LED-PAR16

1x 50W max
1x 7W max




D8431

 **GU10**



QPAR16
LED-PAR16

1x 50W max
1x 7W max



OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ●  WH  BK

Finish inside ●  BK



OPTIONAL

ADAPTER



Adapter of 1-phase (2 wires)



Adapter of 1-phase (3 wires)



Adapter of 3-phase (4 wires)




D8711

 **GU10**



LED-PAR11

1x 5W max



Ø50


D8721

 **GU10**




LED-PAR11

1x 5W max



Ø52



OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ● ☐ WH ☒ BK
Finish inside ● ☒ BK ☐ WH



OPTIONAL

ADAPTER



Adapter of 1-phase (2 wires)



Adapter of 1-phase (3 wires)



Adapter of 3-phase (4 wires)

LIGHTING FILTER

Red



Yellow



Blue




Green



ACCESSORY



Honeycomb




Honeycomb



D8661

 GU10



QPAR16
LED-PAR16

1x 50W max
1x 7W max



D8671

 GU10



QPAR16
LED-PAR16

1x 50W max
1x 7W max



OPTIONAL

FINISH OPTIONAL  :Standard

Finish body  WH  BK  GD
Finish inside  BK  GD





SQUARE TRACK LIGHTS

Extruded aluminum material.
Electrostatic sand powder coating.
No external screws.
Four different colour options.
Anti glare design.
Easy installation(to change the bulb).



D8591/D8601



D8161/D8471



D8681/D8691



OPTIONAL

ADAPTER



Adapter of 1-phase (2 wires)



Adapter of 1-phase (3 wires)




Adapter of 3-phase (4 wires)



D8161

 GU10




QPAR16
LED-PAR16

1x 50W max
1x 7W max


D8471

 GU10



QPAR16
LED-PAR16

1x 50W max
1x 7W max



OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ●  WH ●  BK ●  GD
Finish inside ●  BK ●  GD



OPTIONAL

ADAPTER



Adapter of 1-phase (2 wires)



Adapter of 1-phase (3 wires)




Adapter of 3-phase (4 wires)



D8741

 **GU10**




QPAR16
LED-PAR16

1x 50W max
1x 7W max

D8751

 **GU10**



QPAR16
LED-PAR16

1x 50W max
1x 7W max



OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ●  WH ●  BK

Finish inside ●  BK



OPTIONAL

ADAPTER



Adapter of 1-phase (2 wires)



Adapter of 1-phase (3 wires)



Adapter of 3-phase (4 wires)




D8681

 GU10



QPAR16
LED-PAR16

1x 50W max
1x 7W max





D8691

 GU10



QPAR16
LED-PAR16

1x 50W max
1x 7W max



OPTIONAL

FINISH OPTIONAL  :Standard

Finish body  WH  BK  GD
Finish inside  BK  GD



PENDANT LIGHT




C7451/C7521/C6951/C7231



C7322



C7331/C7391



PENDANT

LIGHT





Extruded aluminum material.
Electrostatic sand powder coating.
No external screws.
Four different colour options.
Anti glare design.
Easy installation(to change the bulb).







ROUND PENDANT LIGHTS

Extruded aluminum material.
Electrostatic sand powder coating.
Four different colour options.
Anti glare design.
Easy installation(to change the bulb).



C7451/C7521/
C6951/C7231

C7322






C7451

 **GU10**



LED-PAR11

1x 5W max




C7521

 **GU10**



LED-PAR11

1x 5W max




OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ● ☐ WH ☒ BK

Finish inside ● ☒ BK ☐ WH






C7231

 GU10



QPAR16
LED-PAR16

1x 50W max
1x 7W max




C6951

 GU10



QPAR16
LED-PAR16

1x 50W max
1x 7W max



OPTIONAL

FINISH OPTIONAL  :Standard

Finish body  WH  BK  GD
Finish inside  BK  GD


OPTIONAL

LIGHTING FILTER




ACCESSORY

 Honeycomb









C7322

 **E27**



A60

1x 10.5W max



OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ●  WH ●  BK ●  GD
Finish inside ●  BK ●  GD




SQUARE PENDANT LIGHTS

Extruded aluminum material.
Electrostatic sand powder coating.
Four different colour options.
Anti glare design.
Easy installation(to change the bulb).




C7331/C7391





C7391

 GU10



QPAR16
LED-PAR16

1x 50W max
1x 7W max





OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ●  WH ●  BK ●  GD

Finish inside ●  BK ●  GD





C7331

 GU10




QPAR16

1x 50W max

LED-PAR16

1x 7W max



OPTIONAL

FINISH OPTIONAL  :Standard

Finish body  WH  BK  GD

Finish inside  BK  GD



SURFACE LIGHT



C7431/C7441



C6591/C7201



C7151/C6831



C6721/C7261



C6722/C7262



C6723/C7263
C6725/C7265



C7281/C7471
/C6871/C7211



A2381/A2391



C6711/C7411



C6771/C7221



C7611/C7111



C6741/C7341



C6742/C7342



C6601/C7291



C6602/C7292



C6911



C6731/C7421



C6732/C7422



C6733/C7423



C7591/C7601



C7571/C7581



C7621/C7631



C6481/C6431




C6432



C6321



C6322



SURFACE

LIGHT





Extruded aluminum material.
Electrostatic sand powder coating.
No external screws.
Four different colour options.
Anti glare design.
Easy installation(to change the bulb).







ROUND FIXED SURFACE LIGHTS

Extruded aluminum material.
Electrostatic sand powder coating.
No external screws.
Four different colour options.
Anti glare design.
Easy installation(to change the bulb).



C7431/C7441



C6591/C7201




C6831





C7431

 **GU10**



LED-PAR11

1x 5W max


C7441

 **GU10**



LED-PAR11

1x 5W max



OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ● ☐ WH ☒ BK


Finish inside ● ☒ BK ☐ WH





C6591

 GU10



QPAR16
LED-PAR16

1x 50W max
1x 7W max


C7201

 GU10



QPAR16
LED-PAR16

1x 50W max
1x 7W max



OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ●  WH ●  BK ●  GD


Finish inside ●  BK ●  GD

LIGHTING FILTER



ACCESSORY

 Honeycomb





**C7151** **E27**

Ø120

138(ØW)
180(32/40W)

LED-PAR30

1x 9W max

LED-PAR30

1x 32/40W max

C6831 **E27**

Ø120

150

A60

1x 10.5W max

OPTIONAL**FINISH OPTIONAL** ● :StandardFinish body ●  WH  BKFinish inside ●  BK



ROUND ADJUSTABLE SURFACE LIGHTS

Extruded aluminum material.
Electrostatic sand powder coating.
No external screws.
Four different colour options.
Anti glare design.
Easy installation(to change the bulb).



C6721/C7261



C6722/C7262



C6723/C7263
C6725/C7265



C7281/C7471



C6871/C7211



A2381/A2391

NEW





C6711/C7411




C6771/C7221



C7611/C7111






68

ROUND Series






C6721



C6722




 **GU10**





QPAR16 1/2/3/5x 50W max
LED-PAR16 1/2/3/5x 7W max

C6723



C6725



OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ●  WH ●  BK ●  GD


Finish inside ●  BK ●  GD


LIGHTING FILTER








ACCESSORY

 Honeycomb





**C7261****C7262** **GU10**QPAR16
LED-PAR161/2/3/5x 50W max
1/2/3/5x 7W max**C7263****C7265****OPTIONAL**


FINISH OPTIONAL ● :Standard

Finish body ●  WH ●  BK ●  GD



Finish inside ●  BK ●  GD

LIGHTING FILTER**ACCESSORY**

● Honeycomb








 **GU10**

LED-PAR11



1x 5W max




 **GU10**

LED-PAR11



1x 5W max



OPTIONAL

FINISH OPTIONAL ● :Standard


Finish body ● ☐ WH ☒ BK
Finish inside ● ☒ BK ☐ WH





C6871

 GU10




QPAR16
LED-PAR16

1x 50W max
1x 7W max


C7211

 GU10



QPAR16
LED-PAR16

1x 50W max
1x 7W max



OPTIONAL

FINISH OPTIONAL  :Standard

Finish body  WH  BK  GD


Finish inside  BK  GD

LIGHTING FILTER



ACCESSORY

 Honeycomb








A2381

 GU10



QPAR16
LED-PAR16

1x 50W max
1x 7W max




A2391

 GU10



QPAR16
LED-PAR16

1x 50W max
1x 7W max




OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ● ☐ WH ☒ BK ☐ GD


Finish inside ● ☒ BK ☐ GD



LIGHTING FILTER



ACCESSORY








C6711

 GU10



QPAR16
LED-PAR16

1x 50W max
1x 7W max




C7411

 GU10



QPAR16
LED-PAR16

1x 50W max
1x 7W max



OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ● ☐ WH ☒ BK


Finish inside ● ☒ BK

LIGHTING FILTER



ACCESSORY

 Honeycomb








C7221

 GU10




QPAR16
LED-PAR16

1x 50W max
1x 7W max


C6771

 GU10



QPAR16
LED-PAR16

1x 50W max
1x 7W max



OPTIONAL

FINISH OPTIONAL ● :Standard


Finish body ● ☐ WH ☒ BK
Finish inside ● ☒ BK

LIGHTING FILTER






ACCESSORY

 Honeycomb






**C7611** **GU10**QPAR16
LED-PAR161x 50W max
1x 7W max**C7111** **GU10**QPAR16
LED-PAR161x 50W max
1x 7W max**OPTIONAL****FINISH OPTIONAL** ● :Standard

Finish body ●  WH  BK  GD

Finish inside ●  BK  GD

LIGHTING FILTER**ACCESSORY**

● Honeycomb







SQUARE FIXED SURFACE LIGHTS

Extruded aluminum material.
Electrostatic sand powder coating.
No external screws.
Four different colour options.
Anti glare design.
Easy installation(to change the bulb).



C6741/C7341



C6742/C7342



C6601/C7291





C6602/C7292



C6911



**C6741** **GU10**QPAR16
LED-PAR161x 50W max
1x 7W max**C6742** **GU10**QPAR16
LED-PAR162x 50W max
2x 7W max**OPTIONAL****FINISH OPTIONAL** ● :Standard

Finish body ●  WH  BK  GD

Finish inside ●  BK  GD





C7341

 GU10



QPAR16
LED-PAR16

1x 50W max
1x 7W max


C7342

 GU10



QPAR16
LED-PAR16

2x 50W max
2x 7W max






OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ●  WH  BK  GD
Finish inside ●  BK  GD



**C6601** **GU10**QPAR16
LED-PAR161x 50W max
1x 7W max**C6602** **GU10**QPAR16
LED-PAR162x 50W max
2x 7W max**OPTIONAL****FINISH OPTIONAL** ● :StandardFinish body ●  WH ●  BK ●  GDFinish inside ●  BK ●  GD




**C7291** **GU10**


81x81

QPAR16
LED-PAR161x 50W max
1x 7W max**C7292** **GU10**

161x81

QPAR16
LED-PAR162x 50W max
2x 7W max**OPTIONAL****FINISH OPTIONAL** ● :StandardFinish body ●  WH  BK  GDFinish inside ●  BK  GD





C6911

 E27



120x120

138(9W)
180(32W/40W)

LED-PAR30
LED-PAR30

1x 9W max
1x 32/40W max

OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ●  WH  BK

Finish inside ●  BK





SQUARE ADJUSTABLE SURFACE LIGHTS

Extruded aluminum material.
Electrostatic sand powder coating.
No external screws.
Four different colour options.
Anti glare design.
Easy installation(to change the bulb).



C6731/C7421

C6732/C7422

C6733/C7423




C7591/C7601


C7571/C7581

C7621/C7631




**C7421** **GU10**

QPAR16	1x 50W max
LED-PAR16	1x 7W max

C7422 **GU10**


QPAR16	2x 50W max
LED-PAR16	2x 7W max


C7423 **GU10**

QPAR16	3x 50W max
LED-PAR16	3x 7W max


**OPTIONAL****FINISH OPTIONAL** ● :Standard

Finish body	● WH	● BK	● GD
Finish inside	● BK	● GD	




**C6731** **GU10**

QPAR16	1x 50W max
LED-PAR16	1x 7W max

C6732 **GU10**

QPAR16	2x 50W max
LED-PAR16	2x 7W max


C6733 **GU10**

QPAR16	3x 50W max
LED-PAR16	3x 7W max

**OPTIONAL****FINISH OPTIONAL** :Standard


Finish body	 WH	 BK	 GD
Finish inside	 BK	 GD	





C7591

 GU10




QPAR16
LED-PAR16

1x 50W max
1x 7W max



C7601

 GU10



QPAR16
LED-PAR16

1x 50W max
1x 7W max





OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ●  WH  BK  GD
Finish inside ●  BK  GD









OPTIONAL

FINISH OPTIONAL ● :Standard

Finish body ●  WH  BK

Finish inside ●  BK



**C7621** **GU10**QPAR16
LED-PAR161x 50W max
1x 7W max**C7631** **GU10**QPAR16
LED-PAR161x 50W max
1x 7W max**OPTIONAL****FINISH OPTIONAL** ● :Standard

Finish body ●  WH ●  BK ●  GD

Finish inside ●  BK ●  GD



ANTI-GLARE SURFACE LIGHTS

Extruded aluminum material.
Electrostatic sand powder coating.
No external screws.
Four different colour options.
Anti glare design.
Easy installation(to change the bulb).







C6481/C6431

C6432



C6321

C6322



**C6481****C6431** **GU10**QPAR16
LED-PAR161x 50W max
1x 7W max **GU5.3**QR-CBC
LED-MR161x 50W max
1x 7W max**C6432** **GU10**QPAR16
LED-PAR162x 50W max
2x 7W max **GU5.3**QR-CBC
LED-MR162x 50W max
2x 7W max**OPTIONAL****FINISH OPTIONAL** ● :StandardFinish body ●  WH ●  BKFinish inside ●  BK



**C6321** **GU10**QPAR16
LED-PAR161x 50W max
1x 7W max **GU5.3**QR-CBC
LED-MR161x 50W max
1x 7W max**C6322** **GU10**QPAR16
LED-PAR162x 50W max
2x 7W max **GU5.3**QR-CBC
LED-MR162x 50W max
2x 7W max**ACCESSORY****OPTIONAL****FINISH OPTIONAL** ● :StandardFinish body ●  WH  BKFinish inside ●  BK



EXTERIOR LIGHT



H9942



H9944



B9601



B9608



B9401



B9588/B9587



B9616



B9604



B9596/B9597/B9598



B9558/B9559



B9563/B9562



B9594



B9589



B9590



B9591



B9592



T9350



T9358



T9359




T9144



A0695



Q9738








IP65 OUTDOOR SURFACE LIGHTS


Die-cast aluminum housing with high corrosion resistance.
DuPont outdoor electrostatic powder coating.
304# stainless steel fastness parts.
3mm or 4mm thickness tempered glass.
Fire-resistant Silicon seal gasket.







H9942



- △ GU10 QPAR16 1x max.50W
- △ GU10 LED-PAR16 1x max.5W


FINISH BODY

Standard ☐ SL ☐ WH
Optional ☒ BK

ACCESSORY

☒ HoneyComb

H9944




- △ GU10 QPAR16 1x max.50W
- △ GU10 LED-PAR16 1x max.5W

FINISH BODY


Standard ☐ SL ☐ WH
Optional ☒ BK

Extruded aluminum and die-cast aluminum housing with high corrosion resistance.
Tempered glass diffuser, thickness 4mm.
Fire-resistant silicon gasket for good waterproof, IP65.
High purity aluminum heat conduction piece.
304 standard stainless steel fastness part.
DuPont professional outdoor powder coating finished normal thickness 100 micron.
500 hours salt spray test endurance rating.
All wiring, socket and connectors are heat resistant as per IEC.
Luminaires are certified by CE, RoHS.



IP65 MODERN OUTDOOR WALL LIGHTS


Die-cast aluminum housing with high corrosion resistance.
DuPont outdoor electrostatic powder coating.
304# stainless steel fastness parts.
3mm or 4mm thickness tempered glass.
Fire-resistant Silicon seal gasket.







B9601



-  GU10 LED-PAR11 1x max.5W
-  GU4 LED-MR11 1x max.5W


FINISH BODY

- Standard  SL
Optional  BK  WH

Die-cast aluminum housing with high corrosion resistance.
DuPont outdoor electrostatic powder coating.
304# stainless steel fastness parts.
3mm thickness tempered glass.
Fire-resistant Silicon seal gasket.



B9608



-  GU10 QPAR16 1x max.50W
-  GU10 LED-PAR16 1x max.5W


FINISH BODY

- Standard  SAM
Optional  BK  WH

ACCESSORY

-  HoneyComb









Extruded aluminum and die-cast aluminum housing with high corrosion resistance.
DuPont outdoor electrostatic powder coating.
304# standard stainless steel fastness part.
3mm thickness tempered glass.
High purity aluminum heat conduction piece.
Fire-resistant silicon seal gasket.
2.0W/(m-k)MCPCB.



B9401



	G9	QT14	1x max.40W
	G9	QT14	2x max.40W


FINISH BODY

Standard ☒ SL
Optional ☒ BK ☐ WH





B9588




-  GU10 QPAR16 1x max.50W
-  GU10 LED-PAR16 1x max.5W

FINISH BODY

Standard ☒ SL
Optional ☐ BK ☐ WH

B9587



-  GU10 QPAR16 2x max.50W
-  GU10 LED-PAR16 2x max.5W


Die-cast aluminum housing with high corrosion resistance.
DuPont outdoor electrostatic powder coating.
304# stainless steel fastness parts.
3mm thickness tempered glass.
Fire-resistant Silicon seal gasket.






NEW

B9616



B9626



-  COB CXA1512 1x15W
-  GU10 QPAR16 1x max.50W
-  GU10 LED-PAR16 1x max.5W

-  COB CXA1512 2x13W
-  GU10 QPAR16 2x max.50W
-  GU10 LED-PAR16 2x max.5W

FINISH BODY

Standard  SAM
Optional  BK  WH


ACCESSORY


 HoneyComb

COLOR TEMP

 3000K  4000K

Die-cast aluminum housing with high corrosion resistance.
DuPont outdoor electrostatic powder coating.
304# stainless steel fastness parts.
3mm thickness tempered glass.
Fire-resistant Silicon seal gasket.





IP65

TRADITIONAL

OUTDOOR WALL LIGHTS

Extruded aluminum and die-cast aluminum housing with high corrosion resistance.

Tempered glass diffuser, thickness 3mm or 4mm.

Fire-resistant silicon gasket for good waterproof, IP65.

High purity aluminum heat conduction piece.

304 standard stainless steel fastness part.

DuPont professional outdoor powder coating finished normal thickness 100 micron.

500 hours salt spray test endurance rating.

All wiring, socket and connectors are heat resistant as per IEC.


Luminaires are certified by CE, RoHS.







B9604



 GU10 LED-PAR11 2x max.5W

FINISH BODY


Standard  SL

Optional  BK  WH


Extruded aluminum and die-cast aluminum housing with high corrosion resistance.
DuPont outdoor electrostatic powder coating.
304# stainless steel fastness parts.
4mm thickness tempered glass.
Fire-resistant silicon seal gasket.







B9598



-  GU10 QPAR16 2x max.50W
-  GU10 LED-PAR16 2x max.5W


FINISH BODY

Standard  SL
Optional  BK  WH

Die-cast aluminum housing with high corrosion resistance.
DuPont outdoor electrostatic powder coating.
304# stainless steel fastness parts.
4mm thickness tempered glass.
Fire-resistant Silicon seal gasket.



B9596




-  GU10 QPAR16 2x max.50W
-  GU10 LED-PAR16 2x max.5W

FINISH BODY

Standard  SL
Optional  BK  WH



B9597




-  GU10 QPAR16 1x max.50W
-  GU10 LED-PAR16 1x max.5W


FINISH BODY

Standard  SL
Optional  BK  WH





B9559




-  GU10 QPAR16 1x max.50W
-  GU10 LED-PAR16 1x max.5W


FINISH BODY

Standard ☒ SL
Optional ☒ BK ☐ WH

Die-cast aluminum housing with high corrosion resistance.
DuPont outdoor electrostatic powder coating.
304# stainless steel fastness parts.
4mm thickness tempered glass.
Fire-resistant Silicon seal gasket.



B9558




-  GU10 QPAR16 2x max.50W
-  GU10 LED-PAR16 2x max.5W


FINISH BODY

Standard ☒ SL
Optional ☒ BK ☐ WH





B9563




- ▲ GU10 QPAR16 1x max.50W
- ▲ GU10 LED-PAR16 1x max.5W

FINISH BODY

Standard ■ SL
Optional ■ BK □ WH

B9562




- ▲ GU10 QPAR16 2x max.50W
- ▲ GU10 LED-PAR16 2x max.5W

FINISH BODY

Standard ■ SL
Optional ■ BK □ WH

Extruded aluminum and die-cast aluminum housing with high corrosion resistance.
DuPont outdoor electrostatic powder coating.
304# stainless steel fastness parts.
4mm thickness tempered glass.
Fire-resistant silicon seal gasket.



IP65

SPECIAL

OUTDOOR WALL LIGHTS

Extruded aluminum and die-cast aluminum housing with high corrosion resistance.

Fire-resistant silicon gasket for good waterproof, IP65.

High purity aluminum heat conduction piece.

304 standard stainless steel fastness part.

DuPont professional outdoor powder coating finished normal thickness 100 micron.

500 hours salt spray test endurance rating.

All wiring, socket and connectors are heat resistant as per IEC.


Luminaires are certified by CE, RoHS.







B9594



 LED OSRAM Soft LED 1x 8W

 LED OSRAM Soft LED 2x 6W

FINISH BODY

Standard  SL


Optional  BK  WH


COLOR TEMP

 3000K  4000K


Die-cast aluminum housing with high corrosion resistance.
DuPont outdoor electrostatic powder coating.
304# stainless steel fastness parts.
3mm thickness tempered glass.
Fire-resistant Silicon seal gasket.







B9589



 LED XT-E 3x 2.5W

 LED XT-E 6x 2.5W

FINISH BODY

Standard  SL

Optional  BK  WH


COLOR TEMP

 3000K  4000K


Die-cast aluminum housing with high corrosion resistance.
DuPont outdoor electrostatic powder coating.
304# stainless steel fastness parts.
3mm thickness tempered glass.
Fire-resistant Silicon seal gasket.







B9590



LED 36pcs 2835 14.5W


FINISH BODY



Standard ☒ SL
Optional ☒ BK ☐ WH

COLOR TEMP


☒ 3000K ☐ 4000K

Die-cast aluminum housing with high corrosion resistance.
DuPont outdoor electrostatic powder coating.
304# stainless steel fastness parts.
3mm thickness tempered glass.
Fire-resistant Silicon seal gasket.





B9591




- LED 2835 10/14.5W
- E14 Premium 1x 6W

FINISH BODY

- Standard SL
- Optional BK WH

B9592




- LED 2835 10/14.5W
- E14 Premium 1x 6W

FINISH BODY

- Standard SL
- Optional BK WH

Extruded aluminum and die-cast aluminum housing with high corrosion resistance.
DuPont outdoor electrostatic powder coating.
304# stainless steel fastness parts.
Fire-resistant silicon seal gasket.




OUTDOOR FLOOD LIGHTS & BOLLARDS
IP65






OPTIONAL ACCESSORIES



LIGHTING FILTER




OPTIONAL LIGHT BODY





Extruded aluminum and die-cast aluminum housing with high corrosion resistance.
DuPont outdoor electrostatic powder coating.
304# standard stainless steel fastness part.
4mm thickness tempered glass.
High purity aluminum heat conduction piece.
Fire-resistant silicon seal gasket.


T9350



- △ GU10 QPAR16 1x max.50W
- △ GU10 LED-PAR16 1x max.5W

FINISH BODY

- Standard ■ BK
- Optional ■ SL









T9358

Extruded aluminum and die-cast aluminum housing with high corrosion resistance.
DuPont outdoor electrostatic powder coating.
304# standard stainless steel fastness part.
4mm thickness tempered glass.
High purity aluminum heat conduction piece.
Fire-resistant silicon seal gasket.

OPTIONAL ACCESSORIES



COB CXA2520 1x 20W

FINISH BODY

Standard BK
Optional SL


COLOR TEMP

3000K 4000K





T9359



△ GU10 QPAR16 1x max.50W

△ GU10 LED-PAR16 1x max.5W

FINISH BODY

Standard ■ BK

Optional ■ SL

Extruded aluminum and die-cast aluminum housing with high corrosion resistance.
DuPont outdoor electrostatic powder coating.
304# standard stainless steel fastness part.
4mm thickness tempered glass.
High purity aluminum heat conduction piece.
Fire-resistant silicon seal gasket.
Anodized aluminum reflector.




IP65
BOLLARDS







T9144



-  G9 LED-QT14 1x max.4.8W
-  LED XT-E 4x 2.5W

FINISH BODY

- Standard  BK
- Optional  SL

Extruded aluminum and die-cast aluminum housing with high corrosion resistance.
DuPont outdoor electrostatic powder coating.
304# standard stainless steel fastness part.
Diffuser is PMMA.
PMMA soft light diffuser.
High purity aluminum heat conduction piece.
Fire-resistant silicon seal gasket.
Anodized aluminum reflector.
2.0W/(m·k) MCPCB.
Internal flange.





IP65

OUTDOOR RECESSED LIGHTS

Extruded aluminum and die-cast aluminum housing with high corrosion resistance.

Tempered glass diffuser, thickness 4mm.

Fire-resistant silicon gasket for good waterproof, IP65.

High purity aluminum heat conduction piece.


304 standard stainless steel fastness part.

DuPont professional outdoor powder coating finished normal thickness 100 micron.

500 hours salt spray test endurance rating.

All wiring, socket and connectors are heat resistant as per IEC.

Luminaires are certified by CE, RoHS.










Die-cast aluminum housing with high corrosion resistance.
Tempered glass diffuser, thickness 8-12mm.
Fire-resistant silicon gasket for good waterproof, IP65.
High purity aluminum heat conduction piece.
304 standard stainless steel fastness part.
DuPont professional outdoor powder coating finished normal thickness 100 micron.
500 hours salt spray test endurance rating.
All wiring, socket and connectors are heat resistant as per IEC.
Luminaires are certified by CE, RoHS.



Optional
for GU5.3



A0695




- ▲ GU10 QPAR16 1x max.50W
- ▲ GU10 LED-PAR16 1x max.5W
- ▲ GU5.3 LED-MR11 1x max.50W
- ▲ GU5.3 LED-MR11 1x max.7W


FINISH BODY

Standard ☐ WH ☐ SL
Optional ☐ BK





Q9738



 G9 LED-QT14 2x max.3.8W

 LED 2835 7.5W

FINISH BODY

Standard  SL

Optional  BK  WH

Die-cast aluminum housing with high corrosion resistance.

DuPont outdoor electrostatic powder coating.

304# stainless steel fastness parts.

3mm thickness tempered glass.

Fire-resistant Silicon seal gasket.



INDOOR ACCESSORIES

2 WIRES TRACK



2-wires track
P0001



**Straight
connector mini**
P0002



L-Connector
P0003



T-Connector
P0004



X-Connector
P0005

COLOR OPTIONS

☐ WHITE ☒ BLACK

OPTIONS

1 Meter / 1.5 Meter / 2 Meter

3 WIRES TRACK



3-wires track
P0011



**Straight
connector mini**
P0012



L-Connector
P0013



T-Connector
P0014



X-Connector
P0015


COLOR OPTIONS

☐ WHITE ☒ BLACK

OPTIONS

1 Meter / 1.5 Meter / 2 Meter

4 WIRES TRACK



4-wires track
P0021



**Straight
connector mini**
P0022



L-Connector
P0023



T-Connector
P0024



X-Connector
P0025

COLOR OPTIONS


☐ WHITE ☒ BLACK

OPTIONS

1 Meter / 1.5 Meter / 2 Meter

INDOOR ACCESSORIES

TOOLS



GU10
Installation tool
P0061



Honeycomb
Installation tool

DRIVER BOX



12V Driver box
P0091



box cover
-small
P0094

LIGHTS ACCESSORIES



Honeycomb
P0064



Small hood
ring
P0062



Honeycomb
ring
P0063

OUTDOOR LIGHTS ACCESSORIES



P68 Connector
P0138



Honeycomb
P0161



Lighting Filter
Red
P0066/0162



T9350
Mounting pole
P0124



T9350
Flange
P0139



Lighting Filter
Yellow
P0067/0163



T9350
Stake(aluminum)
P0125

T9350
Stake(ABS)
P0133



T9350
Straps



Lighting Filter
Blue
P0068/0164



Lighting Filter
Red
P0162



Lighting Filter
Yellow
P0163



Lighting Filter
Green
P0069/0165



Lighting Filter
Blue
P0164



Lighting Filter
Green
P0165

PHILIPS



PAR16
GU10 5.5W 36D



MR16
GU5.3 6.5W 36D



MR16
GU5.3 7W 36D



MR11
GU4 3.5W 24D



PAR30S
E27 9W 25D



PAR30
E27 32/40W 15/30D



LED
G9 2.3W



LED
G9 1.5/1.6W 300D



LED
G9 1.9/2.8W



A60
E27 10.5W



AR-111
G53 15W 24D/40D



AR-111
G53 20W 12D/24D/40D

OSRAM



PAR16
GU10 4.5/6.5/8W 24D/36D



MR16
GU5.3 5/6.5/7W 36D



PAR30S
E27 11W 30D



PAR30
E27 20/37/40W 15/30D



LED
G9 1.9/2.6/3.8W



LED
G9 4.8W




A60
E27 5.5/9/10.5W



AR-111
G53 9.5/11.5W 24/40D



GU10 LED-PAR11



TYPE:	LED BULB
LAMP HOLDER:	GU10
WATTAGE:	3.5W
LUMINOUS FLUX(DIM):	270/280/325lm
EFFICIENCY:	up to 80lm/W
COLOR TEMP:	2700K/3000K/4000K
CRI:	90
BEAM ANGLE:	36°
INPUT VOLTAGE:	220-240V
LIFETIME:	25,000Hrs
WARRANTY:	2 Years
DIMMING TYPE:	Bluetooth MESH

LUX DIM

TYPE:	LED BULB
LAMP HOLDER:	GU10
WATTAGE:	3.5W
LUMINOUS FLUX(DIM):	250/250/280lm
EFFICIENCY:	up to 80lm/W
COLOR TEMP:	2700K/3000K/4000K
CRI:	90
BEAM ANGLE:	36°
INPUT VOLTAGE:	220-240V
LIFETIME:	25,000Hrs
WARRANTY:	2 Years
DIMMING TYPE:	Leading Edge and Trailing Edge

CCT DIM

TYPE:	LED BULB
LAMP HOLDER:	GU10
WATTAGE:	3.5W
LUMINOUS FLUX(DIM):	250lm @2700K
EFFICIENCY:	up to 80lm/W
COLOR TEMP:	2200K-3000K
CRI:	90
BEAM ANGLE:	36°
INPUT VOLTAGE:	220-240V
LIFETIME:	25,000Hrs
WARRANTY:	2 Years
DIMMING TYPE:	Leading Edge and Trailing Edge

TYPE:	LED BULB
LAMP HOLDER:	GU10
WATTAGE:	3.5W
LUMINOUS FLUX(DIM):	270lm @2700K
EFFICIENCY:	up to 80lm/W
COLOR TEMP:	2200K-6000K
CRI:	90
BEAM ANGLE:	36°
INPUT VOLTAGE:	220-240V
LIFETIME:	25,000Hrs
WARRANTY:	2 Years
DIMMING TYPE:	Bluetooth MESH

CCT DIM

TYPE:	LED BULB
LAMP HOLDER:	GU10
WATTAGE:	3.5W
LUMINOUS FLUX(DIM):	250lm @2700K
EFFICIENCY:	up to 80lm/W
COLOR TEMP:	1800K-2700K
CRI:	90
BEAM ANGLE:	36°
INPUT VOLTAGE:	220-240V
LIFETIME:	25,000Hrs
WARRANTY:	2 Years
DIMMING TYPE:	Leading Edge and Trailing Edge

FINISHES INDOOR



WAI:
Sand white RAL9010



BD:
Sand black RAL9011



GE:
Warm matt gold

FINISHES OUTDOOR



WAI:
Sand white RAL9010



BD:
Sand black RAL9011



SL:
Sand light grey RAL7042



SAM:
Dark sand grey RAL7024

Ordinary.....	IP20		No symbol
Drip-proof.....	IPX1		(One drop)
Rain-proof.....	IPX3		(One drop in a square)
Splash-proof.....	IPX4		(One drop in a triangle)
Jet-proof.....	IPX5		(Two triangles with one drop in each)
Powerful water jet-proof.....	IPX6		No symbol
Watertight (immersible).....	IPX7		(Two drops)
Pressure-watertight (submersible).....	IPX8	m	(Two drops followed by an indication of the maximum depth of submersion in metres)
Protected against solid objects greater than 2,5 mm.....	IP3X		No symbol
Protected against solid objects greater than 1 mm.....	IP4X		No symbol
Dust-proof.....	IP5X		(A mesh without a frame)
Dust-tight.....	IP6X		(A mesh with a frame)

Protection against electric shock



CLASS I

The protection is based, further to the principal insulation, on the connection of the accessible conducting parts to an earth wiring.



CLASS II

The protection is based on the principal insulation and supplementary measures same as the double insulation. The luminaire does not need to be earthed.



CLASS III

Class III luminaire supplied with low voltage (12V, 24V). The luminaire does not need to be earthed.

Quality marks



Products have been subjected to stringent safety control tests. Products respect the European quality standard as NEK_EN 60598-21 and NEK_EN 60598-1.



VDE, the Association for Electrical, Electronic & Information Technologies is one of the largest technical and scientific associations in Europe. In many countries, VDE certification is even more popular than the local certification. The VDE is particular recognized and valued by exporters. LEO'S major electric components are approved by the VDE.



It's a mandatory standard set by The European Union, to standardize materials and Process standards, making it more beneficial to human health and the environment protection. Our products comply with the standards.

IEC60598

IEC60598 is one of the safety standards for lamp set by the International Electrotechnical Commission. Our products comply with IEC60598 standards.

ITEM NO.

A.

A0481	82	A1342	92	A1812	50	A2371	72
A0491	60	A1343	92	A1813	50	A2381	172
A0571	74	A1361	98	A1814	50	A2391	172
A0581	74	A1381	86	A1821	48	A2401	68
A0621	88	A1382	86	A1822	48	A2431	62
A0622	88	A1391	86	A2071	94	A2441	58
A0623	88	A1392	86	A2131	82	A2501	68
A0695	260	A1461	94	A2171	70	A2521	58
A1001	56	A1462	94	A2231	82	A2531	60
A1041	76	A1463	94	A2241	70		
A1051	76	A1521	56	A2321	72		
A1341	92	A1811	50	A2361	98		

B.

B9401	222	B9592	246
B9558	232	B9594	240
B9559	232	B9596	232
B9562	234	B9597	232
B9563	234	B9598	232
B9587	224	B9601	220
B9588	224	B9604	230
B9589	242	B9608	220
B9590	244	B9616	226
B9591	246		

D.

D8081	116	D8601	108
D8111	110	D8661	120
D8161	124	D8671	120
D8221	114	D8681	128
D8331	112	D8691	128
D8421	110	D8711	118
D8431	116	D8721	118
D8441	114	D8741	126
D8471	124	D8751	126
D8591	108		

H.

H9942	216
H9944	216

C.

C6321	208	C6741	182	C7262	166	C7431	154
C6322	208	C6742	182	C7263	166	C7441	154
C6431	206	C6771	176	C7265	166	C7451	136
C6432	206	C6801	24	C7271	24	C7471	168
C6481	206	C6831	158	C7281	168	C7521	136
C6591	156	C6871	170	C7291	188	C7571	200
C6601	186	C6911	190	C7292	188	C7581	200
C6602	186	C6921	40	C7322	140	C7591	198
C6711	174	C6951	138	C7331	146	C7601	198
C6721	164	C7111	178	C7341	184	C7611	178
C6722	164	C7151	158	C7342	184	C7621	202
C6723	164	C7201	156	C7391	144	C7631	202
C6725	164	C7211	170	C7411	174		
C6731	194	C7221	176	C7421	196		
C6732	194	C7231	138	C7422	196		
C6733	194	C7261	166	C7423	196		

G.

G5021	10	G5281	26
G5022	10	G5291	24
G5052	18	G5301	32
G5062	16	G5302	32
G5071	34	G5321	38
G5072	34	G5322	12
G5082	20	G5331	38
G5122	36	G5351	26
G5262	10	G5362	12
G5272	14		

Q.

Q9738 264

T.

T9144	258
T9350	250
T9358	252
T9359	254

LEO's LIGHTING & ELECTRIC CO.,LTD.

Factory: LUTANG DASHANJIAO INDUSTRY DISTRICT LUOCUN,
SHISHAN TOWN, NANHAI FOSHAN CITY,
GUANGDONG PROVINCE,
CHINA

P.C: 528226

TEL: (86)757-8643 3200
(86)757-8643 3138

E-mail address

sales01@leolighting.com.cn
leolghting@vip.sina.com



<http://www.leolighting.com>